

Safety Data Sheet

Issue Date: 05-Nov-2013

Revision Date: 13-Nov-2013

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Speedy Blue

Other means of identification

SDS # SJJ-018SB

Recommended use of the chemical and restrictions on use

Recommended Use General purpose cleaner and degreaser.

Details of the supplier of the safety data sheet

Supplier Address

Smith & Jones Janitorial
1 Biloxi Sq.
W. Columbia, SC 29170

Emergency Telephone Number

Company Phone Number 1-803-822-8500
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear blue liquid

Physical State Liquid

Odor Technical odor

Classification

| | |
|-----------------------------------|------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 1 |

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Signal Word

Danger

Hazard Statements

Causes skin irritation
Causes serious eye damage



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a poison center or doctor/physician
 Take off contaminated clothing and wash it before reuse
 IF ON SKIN: Wash with plenty of soap and water
 If skin irritation persists: Get medical advice/attention

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|---------------------|-----------|----------|
| 2-Butoxyethanol | 111-76-2 | 5-10 |
| Potassium hydroxide | 1310-58-3 | 1-5 |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES**First Aid Measures**

| | |
|-----------------------|---|
| General Advice | Provide this SDS to medical personnel for treatment. |
| Eye Contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. If irritation persists, seek medical attention. |
| Inhalation | Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist. |
| Ingestion | Do not induce vomiting. Dilute by giving 1 or 2 glasses of milk or water. Nothing by mouth if unconscious. Get immediate medical attention. |

Most important symptoms and effects

| | |
|-----------------|---|
| Symptoms | May cause skin and eye irritation. Prolonged contact may cause painful stinging or burning of eyes and lids, watering of eye, and irritation. May cause irritation to the mucous membranes and upper respiratory tract. |
|-----------------|---|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|---------------------------|------------------------|

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Contain and absorb with suitable absorbent for disposal.

Methods for Clean-Up For small spills: Wipe up product and rinse affected area with water. For large spills: soak up product with a suitable absorbent. Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wash face, hands, and any exposed skin thoroughly after handling. Use personal protection recommended in Section 8. Use with due care according to label instructions and precautions.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up.

Packaging Materials Always store unused portion in original container with cap secured.

Incompatible Materials Acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------------------|------------------------------|--|--|
| 2-Butoxyethanol 111-76-2 | TWA: 20 ppm | TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S* | IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³ |
| Potassium hydroxide 1310-58-3 | Ceiling: 2 mg/m ³ | (vacated) Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ |

Appropriate engineering controls

Engineering Controls Mechanical ventilation or local exhaust ventilation is recommended.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Wear rubber or neoprene gloves.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|-----------------------|-------------------|-----------------------|----------------|
| Physical State | Liquid | Odor | Technical odor |
| Appearance | Clear blue liquid | Odor Threshold | Not determined |
| Color | Clear blue | | |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|------------------------------|------------------------|-------------------------|
| pH | 10.5-12.5 | |
| Melting Point/Freezing Point | Not determined | |
| Boiling Point/Boiling Range | 100 °C / 212 °F | |
| Flash Point | No Flash at boil | CC (closed cup) |
| Evaporation Rate | > 1 | (Water = 1) |
| Flammability (Solid, Gas) | Not determined | |
| Upper Flammability Limits | Not applicable | |
| Lower Flammability Limit | Not applicable | |
| Vapor Pressure | 28 mm Hg | |
| Vapor Density | Unknown | |
| Specific Gravity | 1.01 | (1=Water) |
| Water Solubility | Infinite | |
| Solubility in other solvents | Not determined | |
| Partition Coefficient | Not determined | |
| Auto-ignition Temperature | Not determined | |
| Decomposition Temperature | Not determined | |
| Kinematic Viscosity | Not determined | |
| Dynamic Viscosity | Not determined | |
| Explosive Properties | Not determined | |
| Oxidizing Properties | Not determined | |
| Additional Information | Volatile by volume 92% | |

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Extreme temperatures. Incompatible Materials.

Incompatible Materials

Acids.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

| | |
|---------------------|--|
| Eye Contact | Causes serious eye damage. |
| Skin Contact | Causes skin irritation. Exposure may cause dry skin, dermatitis and redness. |
| Inhalation | May cause irritation to the mucous membranes and upper respiratory tract. |
| Ingestion | May be harmful if swallowed. Ingestion causes burns of the upper digestive and respiratory tracts. |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------------------|---------------------|---|---|
| 2-Butoxyethanol 111-76-2 | = 470 mg/kg (Rat) | = 2270 mg/kg (Rat) = 220 mg/kg (Rabbit) | = 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h |
| Potassium hydroxide 1310-58-3 | = 214 mg/kg (Rat) | - | - |

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|--------------------------|-------|---------|-----|------|
| 2-Butoxyethanol 111-76-2 | A3 | Group 3 | | |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|-------------------------------|----------------------|---|----------------------------|---|
| 2-Butoxyethanol 111-76-2 | | 1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50 | | 1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 |
| Potassium hydroxide 1310-58-3 | | 80: 96 h Gambusia affinis mg/L LC50 static | | |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

| Chemical Name | Partition Coefficient |
|-------------------------------|-----------------------|
| 2-Butoxyethanol 111-76-2 | 0.81 |
| Potassium hydroxide 1310-58-3 | 0.83 |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

| Chemical Name | California Hazardous Waste Status |
|-------------------------------|-----------------------------------|
| Potassium hydroxide 1310-58-3 | Toxic Corrosive |

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Not determined

Legend:

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*

US Federal Regulations

CERCLA

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|-------------------------------|--------------------------|----------------|---|
| Potassium hydroxide 1310-58-3 | 1000 lb | | RQ 1000 lb final RQ RQ 454 kg final RQ |

SARA 313

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|----------------------------|----------|----------|-------------------------------|
| 2-Butoxyethanol - 111-76-2 | 111-76-2 | 5-10 | 1.0 |

CWA (Clean Water Act)

| Component | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Potassium hydroxide 1310-58-3 (1-5) | 1000 lb | | | X |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------|------------|---------------|--------------|
| | | | |

| | | | |
|-----------------------------------|---|---|---|
| 2-Butoxyethanol 111-76-2 | X | X | X |
| Potassium hydroxide 1310- 58-3 | X | X | X |

16. OTHER INFORMATION

| | | | | |
|-------------|---|---------------------------------------|--------------------------------------|--|
| NEPA | Health Hazards Not determined | Flammability Not determined | Instability Not determined | Special Hazards Not determined |
| HMIS | Health Hazards 2 | Flammability 0 | Physical Hazards 0 | Personal Protection Not determined |

Issue Date: 05-Nov-2013
 Revision Date: 13-Nov-2013
 Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet