Printing date 01.08.2014 Revision: 01.08.2014

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Sheila Shine (Liquid)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Polishing agent/ Burnishing compound
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Sheila Shine Inc. 7725 W 2nd Court Hialeah, FL 33014 Phone: (305) 557-1729

· 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.



flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



health hazard

Carc. 1B H350 May cause cancer.



environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



T; Toxic

R45: May cause cancer.

Xi; Irritant

R38: Irritating to skin.

(Contd. on page 2)

Printing date 01.08.2014 Revision: 01.08.2014

Trade name: Sheila Shine (Liquid)

(Contd. of page 1)



X; Dangerous for the environment

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



This pictogram only applicable for EU regulations. Not for use in the United States (OSHA GHS).









GHS02 GHS07 GHS08 GHS09

- · Signal word Danger
- Hazard-determining components of labelling:

Distillates (petroleum), solvent-refined light paraffinic

Distillates (petroleum), solvent-refined heavy paraffinic

tetrachloroethylene

ethylbenzene

#### **Hazard statements**

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H350 May cause cancer.

H411 Toxic to aquatic life with long lasting effects.

## **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P281 Use personal protective equipment as required.

P202 Do not handle until all safety precautions have been read and understood.

P370+P378 In case of fire: Use foam, powder, or carbon dioxide for extinction.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 3)

Printing date 01.08.2014 Revision: 01.08.2014

Trade name: Sheila Shine (Liquid)

(Contd. of page 2)

· Additional information:

Restricted to professional users.

- · Hazard description:
- · WHMIS-symbols:

B2 - Flammable liquid

D2A - Very toxic material causing other toxic effects



· NFPA ratings (scale 0 - 4)



Health = 1 Fire = 3

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*1

3 Fire = 3

REACTIVITY 0 Reactivity = 0

- \* Indicates a long term health hazard from repeated or prolonged exposures.
- · HMIS Long Term Health Hazard Substances

100-41-4 ethylbenzene

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · **Description**: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64741-89-5 EINECS: 265-091-3 Index number: 649-455-00-2	Distillates (petroleum), solvent-refined light paraffinic  © Carc. 1B, H350	30-60%
CAS: 124-38-9 EINECS: 204-696-9	carbon dioxide ♦ Press. Gas, H280	25-50%
CAS: 127-18-4 EINECS: 204-825-9 Index number: 602-028-00-4	tetrachloroethylene  Xn R40; N R51/53 Carc. Cat. 3	10-30%
	Carc. 2, H351 Aquatic Chronic 2, H411 (Control	. on page 4)

Printing date 01.08.2014 Revision: 01.08.2014

Trade name: Sheila Shine (Liquid)

	(Conto	d. of page 3)
CAS: 64741-88-4	Distillates (petroleum), solvent-refined heavy paraffinic	10-30%
EINECS: 265-090-8 Index number: 649-454-00-7	& Carc. 1B, H350	
CAS: 1330-20-7	xylene	7-13%
EINECS: 215-535-7	Xn R20/21; X Xi R38	
Index number: 601-022-00-9	L	
	Flam. Liq. 3, H226	
	Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	
CAS: 100-41-4	ethylbenzene	1-5%
EINECS: 202-849-4	xn R20; 🔥 F R11	
Index number: 601-023-00-4	Flam. Liq. 2, H225	
	& Carc. 2, H351	
	Acute Tox. 4, H332	
Additional information 5	Aquatic Chronic 3, H412	

<sup>·</sup> **Additional information:** For the wording of the listed risk phrases refer to section 16.

#### **SECTION 4: First aid measures**

### · 4.1 Description of first aid measures

#### · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

#### After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

In case of unconsciousness place patient stably in side position for transportation.

#### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

## · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

A person vomiting while laying on their back should be turned onto their side.

## 4.2 Most important symptoms and effects, both acute and delayed

Coughing

Dizziness

Breathing difficulty

Irritant to skin and mucous membranes.

Nausea

Slight irritant effect on eyes.

Gastric or intestinal disorders when ingested.

Disorientation

(Contd. on page 5)

Printing date 01.08.2014 Revision: 01.08.2014

Trade name: Sheila Shine (Liquid)

(Contd. of page 4)

· Hazards

Danger of disturbed cardiac rhythm.

Danger of convulsion.

Carcinogenic.

May be harmful if inhaled.

· 4.3 Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Monitor circulation.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Water haze or fog

Foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water fog or haze.

### **SECTION 6: Accidental release measures**

## · 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

Keep people at a distance and stay on the windward side.

Particular danger of slipping on leaked/spilled product.

## 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Remove from the water surface (e.g. skim or suck off).

Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

(Contd. on page 6)

Printing date 01.08.2014 Revision: 01.08.2014

Trade name: Sheila Shine (Liquid)

(Contd. of page 5)

Dispose contaminated material as waste according to item 13.

Used rags or other cleaning materials should be soaked with water and placed in a sealed container.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Rags, metal wools / cuttings / shavings and waste papers soaked with product must be placed in a sealed metal container rated for flammable waste.

## · Information about fire - and explosion protection:

Emergency cooling must be available in case of nearby fire.

Keep ignition sources away - Do not smoke.

Prevent impact and friction.

Flammable gas-air mixtures may form in empty receptacles.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

Ingredients with limit values that re	quire monitoring	at the workplace:
---------------------------------------	------------------	-------------------

### 127-18-4 tetrachloroethylene

PEL (USA) Long-term value: 100 ppm

Ceiling limit: 200; 300\* ppm \*5-min peak in any 3 hrs

REL (USA) | Minimize workplace exp. concs.; Pocket Guide App. A

(Contd. on page 7)

Printing date 01.08.2014 Revision: 01.08.2014

Trade name: Sheila Shine (Liquid)

	· · ·	
		(Contd. of page
TLV (USA)	Short-term value: 685 mg/m³, 100 ppm	, , ,
	Long-term value: 170 mg/m³, 25 ppm	
	BEI	
EL (Canada)	Short-term value: 100 ppm	
(,	Long-term value: 25 ppm	
	IARČ 2A	
EV (Canada)	Short-term value: 100 ppm	
_ (	Long-term value: 25 ppm	
1330-20-7 xy		
IOELV (EU)	Short-term value: 442 mg/m³, 100 ppm	
IOLLV (LO)	Long-term value: 221 mg/m³, 50 ppm	
	Skin	
PEL (USA)	Long-term value: 435 mg/m³, 100 ppm	
REL (USA)	Short-term value: 655 mg/m³, 150 ppm	
REL (USA)	Long-term value: 435 mg/m³, 100 ppm	
TLV//LICAV		
TLV (USA)	Short-term value: 651 mg/m³, 150 ppm Long-term value: 434 mg/m³, 100 ppm	
	BEI	
FL (Canada)		
EL (Canada)		
<b>-</b> 1.4.6	Long-term value: 100 ppm	
EV (Canada)	Short-term value: 650 mg/m³, 150 ppm	
	Long-term value: 435 mg/m³, 100 ppm	
100-41-4 eth		
IOELV (EU)	Short-term value: 884 mg/m³, 200 ppm	
	Long-term value: 442 mg/m³, 100 ppm	
	Skin	
PEL (USA)	Long-term value: 435 mg/m³, 100 ppm	
REL (USA)	Short-term value: 545 mg/m³, 125 ppm	
	Long-term value: 435 mg/m³, 100 ppm	
TLV (USA)	Long-term value: 87 mg/m³, 20 ppm	
•	BEI	
EL (Canada)	Long-term value: 20 ppm	
, ,	IARČ 2B	
EV (Canada)	Short-term value: 540 mg/m³, 125 ppm	
( = ===================================	Long-term value: 435 mg/m³, 100 ppm	
· <b>DNELs</b> No fu	rther relevant information available.	
	rther relevant information available.	
		(Contd. on pag

Printing date 01.08.2014 Revision: 01.08.2014

Trade name: Sheila Shine (Liquid)

(Contd. of page 7)

## Ingredients with biological limit values:

## 127-18-4 tetrachloroethylene

BEI (USA) 3 ppm

Medium: end-exhaled air

Time: prior to shift

Parameter: Tetrachloroethylene

0,5 mg/L Medium: blood Time: prior to shift

Parameter: Tetrachloroethylene

### 1330-20-7 xylene

BEI (USA) 1,5 g/g creatinine

Medium: urine Time: end of shift

Parameter: Methylhippuric acids

## 100-41-4 ethylbenzene

BEI (USA) 0,7 g/g creatinine

Medium: urine

Time: end of shift at end of workweek

Parameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific, semi-quantitative)

Medium: end-exhaled air

Time: not critical

Parameter: Ethyl benzene (semi-quantitative)

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Do not carry product impregnated cleaning cloths in trouser pockets.

## **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.

Protection of hands:



(Contd. on page 9)

Printing date 01.08.2014 Revision: 01.08.2014

Trade name: Sheila Shine (Liquid)

(Contd. of page 8)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information. No further relevant information available.

### SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:
Colour:
Clear
Codour:
Pleasant
Odour threshold:
Not determined.

PH-value:
Not determined.

· Change in condition

**Melting point/Melting range:**Not Determined.
Boiling point/Boiling range:
234 °F / 112 °C

· Flash point: 133 °F / 56 °C (TOC)

Flammability (solid, gaseous): Not applicable.
 Auto/Self-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

· **Self-igniting:** Product is not self-igniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/

vapour mixtures are possible.

(Contd. on page 10)

Printing date 01.08.2014 Revision: 01.08.2014

Trade name: Sheila Shine (Liquid)

(Contd. of page 9)

· Explosion limits:

**Lower:** 1,1 Vol % (estimated) **Upper:** 7,0 Vol % (estimated)

· Vapour pressure at 20 °C: (Liquid) 10 mmHg ((Propellant) 838 psig)

Density at 20 °C: 0,964 g/cm³
 Relative density Not determined.
 Vapour density at 20 °C > 1 (air = 1)

• Evaporation rate at 20 °C < 1 (butyl acetate = 1)

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

• 9.2 Other information No further relevant information available.

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Develops readily flammable gases/fumes.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

Used empty containers may contain product gases which form explosive mixtures with air.

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and oxidizing agents.

Reacts with certain metals.

- · 10.4 Conditions to avoid Keep ignition sources away Do not smoke.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrocarbons

Chlorine compounds

(Contd. on page 11)

Printing date 01.08.2014 Revision: 01.08.2014

Trade name: Sheila Shine (Liquid)

(Contd. of page 10)

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity:

Acuto	Adult toxiony.		
· LD/LC5	· LD/LC50 values relevant for classification:		
		chloroethylene	
Oral	LD50	2629 mg/kg (rat)	
1	1330-20-7 xylene		
Oral	LD50	4300 mg/kg (rat)	
Dermal	LD50	2000 mg/kg (rabbit)	

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Slight irritant effect on eyes.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

May be harmful if inhaled.

May cause acne.

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

May cause cancer.

· Repeated dose toxicity:

Repeated exposure may cause skin dryness or cracking.

May cause damage to organs through prolonged or repeated exposure.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Carc. 1B

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: Toxic for aquatic organisms
- 12.2 Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- **Ecotoxical effects:**
- · Remark:

Toxic for fish

Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

(Contd. on page 12)

Printing date 01.08.2014 Revision: 01.08.2014

Trade name: Sheila Shine (Liquid)

Toxic for aquatic organisms

(Contd. of page 11)

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

## **SECTION 14: Transport information**

· 14.1 UN-Number

· DOT, ADR, IMDG, IATA

14.2 UN proper shipping name

· DOT

· ADR

· IMDG

· IATA

· 14.3 Transport hazard class(es)

· DOT



· Class



UN1993

Flammable liquid n.o.s. (Ethylbenzene,

Tetrachloroethylene)

1993 FLAMMABLE LIQUID, N.O.S. (ETHYLBENZENE, TETRACHLOROETHYLENE), ENVIRONMENTALLY

**HAZARDOUS** 

FLAMMABLE LIQUID, N.O.S. (ETHYLBENZENE, TETRACHLOROETHYLENE), MARINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (ETHYLBENZENE,

TETRACHLOROETHYLENE)

3 Flammable liquids.

(Contd. on page 13)

Printing date 01.08.2014 Revision: 01.08.2014

Trade name: Sheila Shine (Liquid)

(Contd. of page 12) · Label 3 · ADR · Class 3 (F1) Flammable liquids. · Label ·IMDG · Class 3 Flammable liquids. · Label · IATA 3 Flammable liquids. · Class · Label · 14.4 Packing group · DOT, ADR, IMDG, IATA · 14.5 Environmental hazards: Product contains environmentally hazardous substances: tetrachloroethylene · Marine pollutant: Yes Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) 14.6 Special precautions for user Warning: Flammable liquids. Danger code (Kemler): 30 · EMS Number: F-E,S-E · Segregation groups Liquid halogenated hydrocarbons · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category Tunnel restriction code D/E (Contd. on page 14)

Printing date 01.08.2014 Revision: 01.08.2014

Trade name: Sheila Shine (Liquid)

(Contd. of page 13)

· IMDG

· DOT

· Limited quantities (LQ)

· Excepted quantities (EQ)

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml May be reclassified as Combustible Liquid for transport

by highway or rail.

UN "Model Regulation":

UN1993, FLAMMABLE LIQUID, N.O.S. (ETHYLBENZENE, TETRACHLOROETHYLENE),

ENVIRONMENTALLY HAZARDOUS, 3, III

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- ·SARA

· Section 355 (extremely hazardous s	stances):
--------------------------------------	-----------

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

127-18-4 tetrachloroethylene

1330-20-7 xylene

100-41-4 ethylbenzene

#### TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65 (California):
- · Chemicals known to cause cancer:

127-18-4 tetrachloroethylene

100-41-4 ethylbenzene

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic Categories

· EPA (Envi	· EPA (Environmental Protection Agency)	
127-18-4	tetrachloroethylene	L
1330-20-7	xylene	I
100-41-4	ethylbenzene	D

(Contd. on page 15)

Printing date 01.08.2014 Revision: 01.08.2014

Trade name: Sheila Shine (Liquid)

		(Contd. of page 1
· IARC (Int	ernational Agency for Research on Cancer)	
127-18-4	tetrachloroethylene	2A
1330-20-7	zylene	3
100-41-4	t ethylbenzene	2E
· TLV (Thre	eshold Limit Value established by ACGIH)	
127-18-4	tetrachloroethylene	A3
1330-20-7	zylene	A4
100-41-4	t ethylbenzene	A3
· NIOSH-C	a (National Institute for Occupational Safety and Health)	
127-18-4	tetrachloroethylene	
· Canada		
· Canadian	Domestic Substances List (DSL)	
All ingredi	ients are listed.	
· Canadian	n Ingredient Disclosure list (limit 0.1%)	
100-41-4	ethylbenzene	
· Canadian	n Ingredient Disclosure list (limit 1%)	
127-18-4	tetrachloroethylene	

## Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H332 Harmful if inhaled.
- H350 May cause cancer.
- H351 Suspected of causing cancer.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- R10 Flammable.
- R11 Highly flammable.

(Contd. on page 16)

Printing date 01.08.2014 Revision: 01.08.2014

Trade name: Sheila Shine (Liquid)

R20 Harmful by inhalation.

R20/21 Harmful by inhalation and in contact with skin.

**R38** Irritating to skin.

**R40** Limited evidence of a carcinogenic effect.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Press. Gas: Gases under pressure: Liquefied gas

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Carc. 1B: Carcinogenicity, Hazard Category 1B Carc. 2: Carcinogenicity, Hazard Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

## **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

(Contd. of page 15)