Safety Data Sheet

Issue Date: 05-Nov-2013 Revision Date: 13-Nov-2013 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Speedi-kleen

Other means of identification

SDS # SJJ-018

Recommended use of the chemical and restrictions on use

Recommended Use General purpose cleaner and degreaser.

Details of the supplier of the safety data sheet

Supplier Address

Smith & Jones Janitorial

1 Biloxi Sq.

W. Columbia, SC 29170

Emergency Telephone Number

Company Phone Number 1-803-822-8500

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear blue liquid Physical State Liquid Odor Technical odor

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Signal Word Danger

Hazard Statements

Causes skin irritation Causes serious eye damage



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

Take off contaminated clothing and wash it before reuse

IF ON SKIN: Wash with plenty of soap and water If skin irritation persists: Get medical advice/attention

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
2-Butoxyethanol	111-76-2	5-10
Potassium hydroxide	1310-58-3	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If irritation persists, seek

medical attention.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison

center if individual's condition declines or if symptoms persist.

Ingestion Do not induce vomiting. Dilute by giving 1 or 2 glasses of milk or water. Nothing by mouth if

unconscious. Get immediate medical attention.

Most important symptoms and effects

Symptoms May cause skin and eye irritation. Prolonged contact may cause painful stinging or burning

of eyes and lids, watering of eye, and irritation. May cause irritation to the mucous

membranes and upper respiratory tract.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Contain and absorb with suitable

absorbent for disposal.

Methods for Clean-Up For small spills: Wipe up product and rinse affected area with water. For large spills: soak

up product with a suitable absorbent. Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of

the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wash face, hands,

and any exposed skin thoroughly after handling. Use personal protection recommended in

Section 8. Use with due care according to label instructions and precautions.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up.

Packaging Materials Always store unused portion in original container with cap secured.

Incompatible Materials Acids.

Page 3/8

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	-
		(vacated) S*	
		` S* ´	
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering Controls Mechanical ventilation or local exhaust ventilation is recommended.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Wear rubber or neoprene gloves.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Wash contaminated clothing before

reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceClear blue liquidOdorTechnical odorColorClear blueOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 10.5-12.5

Melting Point/Freezing Point Not determined

Boiling Point/Boiling Range 100 °C / 212 °F

Flash Point No Flash at boil CC (closed cup)
Evaporation Rate > 1 (Water = 1)

Flammability (Solid, Gas)

Not determined

Inper Flammability Limits

Not applicable

Upper Flammability Limits
Lower Flammability Limit
Not applicable
Vapor Pressure
Vapor Density
Unknown

Specific Gravity 1.01 (1=Water)

Water Solubility Infinite
Solubility in other solvents Not determine

Solubility in other solvents
Partition Coefficient
Auto-ignition Temperature
Decomposition Temperature
Kinematic Viscosity
Dynamic Viscosity
Explosive Properties
Oxidizing Properties
Not determined
Not determined
Not determined
Not determined
Not determined
Not determined

Additional Information Volatile by volume 92%

Page 4/8

Revision Date: 13-Nov-2013 SJJ-018 - Speedi-kleen

10. STABILITY AND REACTIVITY

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Extreme temperatures. Incompatible Materials.

Incompatible Materials

Acids.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye damage.

Skin Contact Causes skin irritation. Exposure may cause dry skin, dermatitis and redness.

Inhalation May cause irritation to the mucous membranes and upper respiratory tract.

Ingestion May be harmful if swallowed. Ingestion causes burns of the upper digestive and respiratory

tracts.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
2-Butoxyethanol 111- 76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h	
Potassium hydroxide 1310- 58-3	= 214 mg/kg (Rat)	-	-	

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-	A3	Group 3		
76-2				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Butoxyethanol 111- 76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	oroorganiome	1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Potassium hydroxide 1310-58-3		80: 96 h Gambusia affinis mg/L LC50 static		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
2-Butoxyethanol 111-76-2	0.81
Potassium hydroxide 1310- 58-3	0.83

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Potassium hydroxide 1310-	Toxic
58-3	Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Not determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide 1310-	1000 lb		RQ 1000 lb final RQ
58-3			RQ 454 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	5-10	1.0

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-	1000 lb			X
58-3 (1-5)				ļ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

	Chemical Name	New Jersey	Massachusetts	Pennsylvania
--	---------------	------------	---------------	--------------

Revision Date: 13-Nov-2013 SJJ-018 - Speedi-kleen

2-Butoxyethanol 111-76-2	Х	Х	Х
Potassium hydroxide 1310- 58-3	Х	Х	Х

16. OTHER INFORMATION

Health Hazards NFPA Flammability Instability **Special Hazards** Not determined Not determined Not determined Not determined **Health Hazards Flammability Physical Hazards Personal Protection HMIS** Not determined

Issue Date: 05-Nov-2013 13-Nov-2013 **Revision Date: Revision Note:** New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet