Safety Data Sheet

Issue Date: 09-Mar-1995

Revision Date: 15-Sep-2014

Version 1

1. IDENTIFICATION

Product Identifier

Product Name

Panther Power

Other means of identification

SDS#

QCC-006

Product Code

2051

UN/ID No

UN1760

Recommended use of the chemical and restrictions on use

Recommended Use

Detergent Cleaner.

Details of the supplier of the safety data sheet

Distributor

Quaker Chemical Company, Inc. 1212 Elmore Street Columbia, SC 29203

Emergency Telephone Number

Company Phone Number

803-765-9520 (Monday - Friday 9:00am - 4:30pm EST)

800-849-9520

Emergency Telephone (24 hr)

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Purple clear liquid

Physical State Liquid

Odor Pleasing

Classification

Acute toxicity - Oral	Category 4	
Acute toxicity - Inhalation (Vapors)	Category 4	
Skin corrosion/irritation	Category 1 Sub-category B	
Serious eye damage/eye irritation	Category 1	
Reproductive toxicity	Category 1B	
Flammable Liquids	Category 4	

Signal Word

Danger

Hazard Statements

Harmful if swallowed
Harmful if inhaled
Causes severe skin burns and eye damage
May damage fertility or the unborn child
Combustible liquid

QCC-006 - Panther Power Revision Date: 15-Sep-2014



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation persists: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Do not induce vomiting

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethylene Glycol Monobutyl Ether	111-76-2	Proprietary
Potassium hydroxide	1310-58-3	Proprietary
TKPP	Proprietary	Proprietary
Borax	Proprietary	Proprietary
Isopropyl Alcohol	Proprietary	Proprietary
Sodium metasilicate	6834-92-0	Proprietary
EDTA	Proprietary	Proprietary

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

QCC-006 - Panther Power Revision Date: 15-Sep-2014

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center or

doctor/physician.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse. If irritation persists, seek

medical attention.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a poison center or doctor/physician.

Ingestion IF SWALLOWED: rinse mouth, Do NOT induce vomiting, Drink plenty of water or milk

immediately. Immediately call a poison center or doctor/physician.

Most important symptoms and effects

Symptoms Causes severe skin burns and eye damage. Inhalation may cause shortness of breath and

respiratory irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2). Foam. Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Combustible liquid. Vapors may be on the ground and may ignite. Vapors may form toxic materials.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Mop up and dispose of spilled material.

OCC-006 - Panther Power Revision Date: 15-Sep-2014

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection recommended in Section 8. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep unused material in the original container. Do not return any material that has been removed from original container. Do not mix with other products unless label specifically directs.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up. Keep away from heat. Protect from freezing.

Incompatible Materials

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Borax	STEL: 6 mg/m³ inhalable fraction TWA: 2 mg/m³ inhalable fraction	(vacated) TWA: 10 mg/m ³	TWA: 5 mg/m ³
Isopropyl Alcohol	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Sodium metasilicate 6834-92-0	2 mg/m ³	2 mg/m ³	-

Appropriate engineering controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Safety goggles or safety glasses with side shields.

Skin and Body Protection

Wear protective gloves and protective clothing.

Respiratory Protection

No protection is ordinarily required under normal conditions of use and with adequate

ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Revision Date: 15-Sep-2014 QCC-006 - Panther Power

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State

Liquid

Appearance Color

Purple clear liquid Purple clear

Odor

Pleasing

Property

Values

Odor Threshold

Remarks • Method

Not determined

Not determined Not determined 100.5°C / 213°F

> Liquid-Not Applicable Not determined

Flash Point **Evaporation Rate**

Vapor Density

83 °C / 182 °F

1.01

Tag Closed Cup (n-BuAc=1)

Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit

Melting Point/Freezing Point Boiling Point/Boiling Range

Not determined 24.1 Vapor Pressure 3.41 1.041

Specific Gravity Water Solubility Solubility in other solvents **Partition Coefficient** Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity **Explosive Properties Oxidizing Properties**

Completely soluble Not determined Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep away from heat, sparks and open flame. Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

Revision Date: 15-Sep-2014 QCC-006 - Panther Power

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact

Causes severe eye damage.

Skin Contact

Causes severe skin burns.

Inhalation

Harmful if inhaled.

Ingestion

Harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h
Potassium hydroxide 1310-58-3	= 214 mg/kg (Rat)	2=	(4)
Borax	= 2660 mg/kg (Rat)	-	3.5%
TKPP	=	> 4640 mg/kg (Rabbit)	-
Isopropyl Alcohol	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h
Sodium metasilicate 6834-92-0	= 600 mg/kg (Rat)	-	
EDTA	= 1700 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl Ether 111-76-2	A3	Group 3		Ŧ
Isopropyl Alcohol		Group 3		X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity

May damage fertility or the unborn child.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethylene Glycol Monobutyl Ether 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Potassium hydroxide 1310-58-3		80: 96 h Gambusia affinis mg/L LC50 static		
TKPP		100: 96 h Oncorhynchus mykiss mg/L LC50		100: 48 h water flea mg/L EC50
Isopropyl Alcohol	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50
Sodium metasilicate 6834-92-0		210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50		216: 96 h Daphnia magna mg/L EC50
EDTA	1.01: 72 h Desmodesmus subspicatus mg/L EC50	34 - 62: 96 h Lepomis macrochirus mg/L LC50 static 44.2 - 76.5: 96 h Pimephales promelas mg/L LC50 static	×	113: 48 h Daphnia magna mg/L EC50 Static

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Ethylene Glycol Monobutyl Ether 111-76-2	0.81
Potassium hydroxide 1310-58-3	0.83
Isopropyl Alcohol	0.05

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Revision Date: 15-Sep-2014

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status	
Potassium hydroxide	Toxic	
1310-58-3	Corrosive	
Borax	Toxic	
Isopropyl Alcohol	Toxic	
AN A	Ignitable	

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No

UN1760

Proper Shipping Name

Corrosive liquid, n.o.s. (Potassium hydroxide)

Hazard Class Packing Group

II

ATA

UN/ID No

UN1760

Proper Shipping Name

Corrosive liquid, n.o.s. (Potassium hydroxide)

Hazard Class

8

Packing Group

11

IMDG

UN/ID No

UN1760

Proper Shipping Name

Corrosive liquid, n.o.s. (Potassium hydroxide)

Hazard Class

8

Packing Group

11

Marine Pollutant

This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Not determined

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
EDTA	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	Proprietary	1.0
Isopropyl Alcohol -		Proprietary	1.0

Revision Date: 15-Sep-2014

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3 (Proprietary)	1000 lb			X
EDTA (Proprietary)	5000 lb			X

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene Glycol Monobutyl Ether 111-76-2	X	X	×
Potassium hydroxide 1310-58-3	×	X	X
Borax	X	X	X
Isopropyl Alcohol	X	X	×
EDTA	X	X	X

16. OTHER INFORMATION

NFPA

Health Hazards Not determined

Flammability Not determined Instability Not determined

Special Hazards Not determined

HMIS

Health Hazards Not determined

Flammability Not determined **Physical Hazards** Not determined

Personal Protection Not determined

Issue Date:

Revision Date:

09-Mar-1995 15-Sep-2014

Revision Note:

New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet